

SİLİKON PRİMER ASTAR

TARİH:08.05.2024

1.PRODUCT IDENTIFICATION AND USE

Product Name: Acrylic copolymer silicone emulsion based, water repellent primer paint

Product code:

Chemical name: Primer wall paint

Uses: For exterior wall

Trade Name: SILKCOAT SİLİKON PRİMER ASTAR

Manufacturer Name: Silkcoat Duvar Kaplamaları San. Ve Tic. Ltd. Şti.

Address: Kaleiçi Mahallesi Gökçeali Caddesi No:63 Çatalca/İstanbul

Tel/Fax: ++90212 789 56 43 / 789 42 53

2.CHEMICAL CONTENT (%)

Acrylic copolymer:25

Water:20

Agents: 5

Solid: 43

3.PHYSICAL PROPERTIES

Amount of Solids: 63 + 2

PH value:8 - 9

Density(gr/ml): 1,52 ±0,05

4.TOXICOLOGICAL PROPERTIES

Eyes: Direct contact cause burning, tearing

Skin:None

Ingestion:May cause irritation of digestive tract

Inhalation:None

5.FIRST AID PRECAUTIONS

Eyes: Clean with fresh water

Skin: None

Ingestion: If accidentally swallowed, do not induce vomiting

6.HAZARD IDENTIFICATION

The product is not hazardous within the meaning of the valid (EU) preparation guideline.

7. HANDLING PROCEDURES AND EQUIPMENTS

Personal protective equipment: None

Ventilation: None

Waste disposal: Bury in land fill

Spill procedures: Sweep up, collect in suitable container for disposal

8. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

9. ACCIDENTAL RELEASE MEASURES

Personal protection:

Wear safety glasses, impervious gloves, and clothing that prevent skin contact.

Cleaning methods:

Shovel into pails or clean fresh material with water.

Environment release prevention:

Collect in a metal or plastic container and seal, dispose of all wastes in accordance with federal, state and local regulations.

10. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls:N/A

Personal protection:

Respiratory protection:

Not necessary under normal usage and with adequate ventilation.

Eye protection:

Chemical goggles or safety glasses with side shields recommended.

Hand protection:

Impervious gloves, vinyl or rubber recommended for repeated or prolonged contact with skin.

Skin protection:

Long sleeved shirts and long pants are advised as good chemical handling practice.

11. STABILITY AND REACTIVITY DATA

Stability: Stable under prescribed handling and storage conditions

Conditions to avoid: Keep away from high humid environment

Thermal decomposition:N/A

Hazardous reactions:None

12. EKOLOJİK BİLGİLER:

Ürünün kanalizasyona ve su yollarına girmesine izin verilmemelidir.

13. BERTARAF HUSUSLARI:

Ürün artığı: Atık yönetimiyle ilgili tüm yerel düzenlemelere uygun olarak imha edilmesi gerekir.

Ambalaj atıkları: Yerel yönetmeliklere uygun şekilde toplayın ve imha edin.

14. NAKLİYE BİLGİLERİ:

Düzenlenmemiş

Karayolu taşımacılığı

ADR: Tehlikeli olmayan mallar

Demiryolu taşımacılığı

RID: Tehlikeli olmayan mallar

İç su yolları taşımacılığı

ADNR: Tehlikeli olmayan mallar

Deniz taşımacılığı

IMDG: Tehlikeli olmayan mallar

Hava Taşımacılığı

ICAO/IATA: Tehlikeli olmayan mallar

15. DÜZENLEYİCİ BİLGİLER:

Ürün, EC direktifleri/ilgili ulusal kanunlar uyarınca bir tehlike uyarı etiketi gerektirmemektedir.

R ifadeleri: Yok

S cümleleri: S2 Çocuklardan uzak tutun S24/25 Cilt ve gözlerle temasından kaçının.

16. DİĞER BİLGİLER:

Bu bilgiler mevcut bilgi seviyemize dayanmaktadır ve ürünün teslim edildiği haliyle ilgilidir.

Ürünlerimizi güvenlik gereklilikleri açısından tanımlamayı amaçlamaktadır ve herhangi bir belirli özelliği garanti etme amacı taşımamaktadır.